


### NOTE

- Panel Type  
 Resistive     EST Capacitive
- Thickness (Glass)  
 Max 3.6 (3.0, without cable bonding area)
- Glass Surface Finish Type  
 Clear     Non-Glare
- Transmittance  
 Typical 85%
- Terminal  
 -Signal    -Diagram

PIN	SIGNAL
1	LL
2	LR
3	SHIELD
4	UR
5	UL



**NOTICE OF PROPRIETARY PROPERTY**

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF Digitech Systems co., Ltd. AND NEITHER IT NOR THE INFORMATION CONTAINED THEREIN SHALL BE DISCLOSED TO OTHERS OR DUPLICATED OR USED FOR OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF Digitech Systems co., Ltd.

REV.	DATE	DESCRIPTION	BY/APP'D
02	'05.12.05	Changed cable length (200 → 300)	S.H./J.Y.
01	'05.12.05	NEW RELEASE	S.H./J.Y.

FFC NO.	SCALE	1/1	DATE	2005.12.05	DRAW. NO	EST-230B-02
	SIZE	A4	DESIG'D	S. H. KIM	PRODUCT NO.	EST-230B
THIRD ANGLE PROJECTION	UNIT	MM	CHK'D	-		
	STD.TOL	±1.0	APP'D	J. Y. PARK		